

Series 7400 VDE Krafftform adjustable torque handle (0.3-3.5 Nm), 7444 VDE x
1.7-3.5 Nm
Series 7400 Insulated Krafftform Torque Screwdrivers



EAN:	4013288184412	Size:	200x70x40 mm
Part number:	05074757001	Weight:	220 g
Article number:	7400 VDE	Country of origin:	CZ
		Customs tariff number:	82054000

- Adjustable Krafftform VDE torque holder
- Adjustable torque from 1.7-3.5
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Suitable for Krafftform Kompakt VDE blades
- Rapid exchange of the interchangeable blades

Torque VDE holder for safe work up to 1,000 volts. Adjustable torque value from 1.7-3.5 Nm. Distinct audible and perceivable excess load signal when the pre-set torque value is reached. Unlimited manual loosening torque. For Krafftform Kompakt VDE blades: the handle/interchangeable blade system allows a rapid exchange of the blade and thereby diverse applications.



VDE
TOOL



TORQUE
TOOL



ADJUSTABLE



KRAFTFORM
ERGONOMICS



ANTI
ROLL-OFF

Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_krafftform_torque_screwdrivers_7400_vde.html


Wera - 7400 VDE
05074757001 - 4013288184412

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Individually tested



Kraffform adjustable torque handle for Electricians



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Kraffform adjustable torque handle for Electricians




Simple setting of the required torque by hand.

Kraffform adjustable torque handle for Electricians




Easy-to-read scale value. Measurement accuracy is $\pm 6\%$ in accordance with the standard EN ISO 6789.

Excess-load signal




Distinctly audible and noticeable excess-load signal when the pre-set torque is reached.

Unlimited loosening torque




Unlimited torque for loosening seized screws.

Inserting the blade








According to the job, the insulated interchangeable blade with the required tipstyle, or a switch cabinet key is inserted into the clamping mechanism.

Taking out the blade



By pulling and holding down the clamping sleeve the interchangeable screwdriver blade, or the switch cabinet key, is unlocked and can easily be taken out of the handle.

Further versions in this product family:

							
	art. no.	mm	Nm	Nm	mm	inch	
	05074752001	7440 VDE	9.0	0.3-1.2	0.05	192	7 9/16"
	05074750001	7441 VDE	9.0	1.2-3.0	0.10	192	7 9/16"
	05074757001	7444 VDE	9.0	1.7-3.5	0.10	192	7 9/16"

Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_kraffform_torque_screwdrivers_7400_vde.html

Wera - 7400 VDE

05074757001 - 4013288184412

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de